


# RoHS-COMPLIANT

CUSTOMER APPROVED:

DATE:



**Features:**

1. Transfer data and share resources between two PCs via USB port
2. Built-in driver (USB Easy Transfer Cable) and program (Windows Easy Transfer) support by Microsoft Windows Vista and Windows XP (Update or driver CD Operating System).
3. Full compliance with the Universal Serial Bus Specification Version 1.1 and 2.0.
4. Supports USB Full/High Speed Control/Interrupt/Bulk Endpoint Transfer
5. Supports Suspend and Resume power management feature
6. Dual data buffer supporting two-way data transfer
7. On-chip USB2.0 UTMI transfer
8. Bus power from either USB port.
9. Suitable for mobile PC environment
10. Packing: Each pc / GR Color box + GRK cd driver.

**System Requirements:**

Windows XP, Windows Vista  
 PS: PCB USL-2101V-061026 V1.0  
 HOOD: MOLD TYPE, 90P PVC COLOR: GRAY(NK-G58)

**CABLE DWG:370-0135-5**

	<b>P1</b>		<b>J1</b>	<b>J2</b>		<b>P2</b>	
RED	1	_____	1	1	_____	4	BLACK
WHITE	2	_____	2	2	_____	3	GREEN
GREEN	3	_____	3	3	_____	2	WHITE
BLACK	4	_____	4	4	_____	1	RED
	<b>SHELL</b>	<b>DRAIN</b>	5	5	<b>DRAIN</b>	<b>SHELL</b>	



	B	ECR #070509-3 (EDIT PACKING)	05/09/07'
LTR	REV.	DESCRIPTION	DATE
ECO. NOTES			
DIMENSIONS TOLERANCES DECIMALS .XX ±0.01 ANGULAR ±0°			
SCALE	NONE	UNIT.	mm
DRAW	FANNIE 05/09/07'	TITLE	Easy Transfer for Windows Vista
CHECKED		CUSTOMER	T-GRK PU-160
APPROVAL		DWN NO.	320-0569 SHEET 1 OF 3 REV:B

CUSTOMER APPROVED:

DATE:

USB A TYPE MALE  
PLASTIC:WHITE

1260±5



NOTES:

- 1.CABLE  
UL -2725 [28AWG(7/0.127)×1PAIR+24AWG(7/0.203)×2C  
+AL-FOIL/MYLAR+DRAIN WIRE+BRAID(65%)] PVC  
JACKET OD:4.7±0.15mm,COLOR:GRAY(NK-G58) USB 2.0 APPROVED
- 2.CONNECTORS:  
P1: USB A TYPE MALE GOLD FLASH CONTACT,  
NICKEL PLATED SHELL.
- 3.HOOD:MOLDED TYPE ,PVC 45P,COLOR:GRAY(NK-G58).
- 4.ELECTRICLE TEST:  
<1>.100% OPEN SHORT&MIS WIRE TEST  
<2>.CONTACT RESISTANCE 3 Ohms MAX.  
<3>.INSULATION RESISTANCE 10M Ohms MIN.

PS: CABLE USE ON 2 PCS

P1	RED	1	_____
	WHITE	2	_____
	GREEN	3	_____
	BLACK	4	_____
	SHELL		_____ D.W


DWG:370-0135-5

△	B	ECR #070509-3 (EDIT PACKING)	05/09/07
LTR	REV	DESCRIPTION	DATE

ECO. NOTES

DIMENSIONS TOLERANCES	
DECIMALS	ANGULAR
±0.01	± 0°

SCALE	NONE	UNIT.	mm
-------	------	-------	----



**GR-CABEL**  
OOOOO

DRAW FANNIE 05/09/07' TITLE Easy Transfer for Windows Vista


CHECKED CUSTOMER T-GRK PU-160

APPROVAL DWN NO. 320-0569 SHEET 2 OF 3 REV:B

CUSTOMER APPROVED:

DATE:

MM:MONTH  
 YYYY:YEAR  
 ex:07/03/2006(下單日)



LABEL:WHITE BASE BLACK WORDS  
 LABEL ON CABLE

	B	ECR #070509-3 (EDIT PACKING)	05/09/07'
LTR	REV.	DESCRIPTION	DATE
ECO. NOTES			
<small>DIMENSIONS TOLERANCES</small> <small>DECIMALS ANGULAR</small> <small>.X ±.5 ± 0'</small>			
SCALE NONE	UNIT. mm		
DRAW FANNIE 05/09/07'		TITLE Easy Transfer for Windows Vista	
CHECKED		CUSTOMER T-GRK PU-160	
APPROVAL		DWN NO. 320-0569	SHEET 3 OF 3 REV:B